

BIBLIOGRAPHY

- Albrecht, K.A. and Broderick, G.A. (1990) Degradation of forage legume protein by rumen microorganisms. In: Agronomy abstracts. American Society of Agronomy. Madison, WI, p. 185.
- AOAC (1990) Official methods of analysis. 15th Edn. Association of Official Agricultural Chemists Washington, DC.
- Badal, P.S. and Dhaka, J.P.(1998) An analysis of feeding pattern and cost of milk production in Gopalganj district of Bihar. *Indian J.Dairy Sci.*, 51: 121-125.
- Buxton, D.R. and Fales, S.L. (1994) Plant environment and quality. Forage Quality, Evaluation and Utilization. American Society of Agronomy. Madison, WI, pp. 200-228.
- Deepak Shah, Parmatma Singh, Shah, D. and Singh, P. (1995) Resources productivity and resource use efficiency of milk production in Bulandshahar district of Uttar Pradesh. *Indian J. Anim. Sci.*, 65: 921-929.
- Deoghare, P. R. (1997) Sustainability of on farm income and employment through livestock production in Mathura district of Uttar Pradesh. *Indian J. Anim. Sci.*, 67: 916-919.

- Desai, H. B., Desai, M. C., Patel, D. C., Patel, G. R. and Shukla, P. C. (1988) A study of animal feed resources and feeding practices of dairy animals in Valsad district. *Gujrat Agricultural University Research Journal*. 13: 58-64.
- Dzowela, B.H., Hove, L., Topps, J.H. and Mafongoya, P.L. (1995) Nutritional and anti-nutritional characters and rumen degradability of dry matter and nitrogen for some multipurpose tree species with potential for agroforestry in Zimbabwe. *Anim. Feed Sci. & Technol.*, 55: 207-214.
- Goering, H. K. and Van Soet, P. J. (1970) Forage Fibre Analysis. Agricultural Handbook No. 379. A R, USDA, Washington D C.
- Gomez, N., Kombiok, James; Rajitha, P., Soam, Sudhir; Williams, Stemphen; Yahya, Mshana (1998) Towards sustainable livestock management. ICRA Working Document Series 69, IGFARI, Jhansi.
- Government of India (1991) Statistical Bulletin-1991. Office of the Deputy Director, Directorate of Economics and Statistics, Jhansi Division, Jhansi, U P, India.
- Hampaiah, R. (1981) Improved forage forestry systems for semi-arid regions of India with special reference to Bundelkhand region. *Indian Journal of Range Management*. 2: 109-117.
- Handa, M.C. and Gill, R.S. (1989) Nutritional status of dairy animals kept by different categories of farmers in Punjab. *Indian J. Anim. Nutr.*, 6: 38-43.
- ICAR (1985) Nutrients requirements of livestock and poultry. Indian council of Agricultural Research , New Delhi.

IGFRI (1992) Integrated development of wastelands in Bundelkhand region- bench mark survey and basic resource report. IGFRI , Jhansi.-284003,India.

Jansen H, Nieuwenhuyse, A. Ibrahim, M., Abarca, S. and jansen, H. G. P. (1997) Economic evaluation of the incorporation of legume into improved pastures compared with traditional cattle feeding system in the Atlantic Zone of Costa Rica. *Agroforesteria en las Americas*. 4: 9-13.

Lal, D., Gupta, R., Dixit, V.B. and Sethi, R.K (1995) Nutritional status of lactating buffaloes in Hisar- a random survey analysis. *Indian J. Dairy Sci.*, 48: 378-381.

Lapierre, C. (1993) Application of new methods for investigation of lignin structure. Forage Cell Wall Structure and Digestibility. ASA-CSSA-SSSA, Madison, WI, pp. 136-166.

Lee Keejong, Ki KwangSeok, Kim YoungJin, Lee K.J., Ki, K.S. and Kim, Y. J. (1996) Study on the expansion of dairy farms managed by family labour. *RDA Journal of Agricultural Sciences, Farm Management, Agricultural Engineering , Sericulture and Farm Product Utilisation*, 38: 884-893.

Mahanta, S.K., Pailan, G.H. and Verma, N.C. (2002) Influence of concentrate supplementation on performance of goats on rangeland: an on farm study. *Anim. Nutr. & Feed Tech.*, 2 : 161-167.

Maity, S.B., Kundu, S.S. and Anil Kumar (2000) Insecure breed of livestock in Bundelkhand. *Flora and Fauna*, 6: 89-90.

Majumdar, A.B., Debroy, R., Rakib, A. (1989) Seasonal effects on nutritive quality of fodder tree leaves. Proceeding of IUFRO, International Workshop in Agroforestry for Rural Needs. Vol. II, New Delhi. pp 182-185.

Misra, A.K. and Dwivedi, P.N. (1997) Bundelkhand men bakri palan ki sambhavnayen: ak adhyayan. Rastrya Sangosthi on Chara Anusandhan avam Pashudhan Vikas ke Naye Ayam (*Hindi*). 20-22 Dec. 1997, IGFRI, Jhansi.

Mudgal, V.D., Pradhan, K. and Devendra, C. (1988) Animal feed resources and current pattern of utilisation in India. Non conventional feed resources and fibrous agricultural residues: strategies for expanded utilization. Proceedings of a Consultation held in Hisar, India, 21-29 March, 1988. 139-146.

Negi, A.S., Bhadoria, B.K., Nag, S.K. and Kundu, S.S. (2003) Chemical composition of some browse species of Bundelkhand. *Animal Nutrition and Feed Technology*. 3: 53-59.

NRC (1988) Nutrient Requirements of Domestic Animals, 6th Edn. National Academy of Science, National Research Council, Washington DC.

Pachauri, V. C., Mahanta, S. K., Singh, S., Pailan, G. H., Verma, N. C. and Ranjitha, P. (1999) Socio-economic impact of improved feeding management of goat production. Proceeding of the Final Workshop on Indo-UK Forage Production Project, October 7-8, 1999. IGFRI, Jhansi, India.

Pandey, U. K., Sigh, J.P. and Suhag, K.S. (1980) Milk production function for Bundelkhand region of Uttar Pradesh. *Indian J. Dairy Sci.*, 33: 99-109.

Patange, D. D., Kulkarni, A.N., Gujar, B.V. and Kalyankar, S.D.(2002) Nutrient availability to milch Marathwadi buffaloes in their home tract. *Indian J. Anim. Nutr.*, 19: 41-46.

Pathak, N.N. (1988) Feeding standards for buffalo. IVRI, Izatnagar, India

Paul, S.S., Kamboj, M.L. and Chawla, D.S. (2001) Growth performance and economics of rearing nili-ravi buffalo male calves on different feeding regimes. *Indian J. Anim. Nutr.*, 18 : 43-48.

Pradhan, K. (1994) Poor quality feeds for cattle and buffaloes. Proc. Summer Institute on Recent Advances in Animal Nutrition. Animal Nutrition Division, IVRI, Izatnagar. India.

Punj, M. L. and Devendra, C. (1988) Availability and utilisation of non conventional feed resources and their utilisation by ruminants in South Asia. Non conventional feed resources and fibrous agricultural residues: strategies for expanded utilisation. Proceedings of a Consultation held in Hisar, India, 21-29 March, 1988. p 50-61.

Rai, B., Ram, G. and Prasad, D. (1993) Goat production system in two adopted villages of Mathura district, Uttar Pradesh. *Livestock Advisor*. 18: 19-21.

Ramana, D.B.V., Sultan Singh and Solanki, K.R. (2002) Nutritive value of some tree and shrub species. *Indian J. Anim. Nutr.* 19 : 262-265.

Ramana, D.B.V., Sultan Singh, Solanki, K.R. and Negi, A.S. (2000) Nutritive evaluation of some nitrogen and non-nitrogen fixing multipurpose tree species. *Animal feed Science and Technology*, 88: 103-111.

Ramana, J V; Prasad,C S and Gowda, S K. (2000). Mineral profile of soil, feeds, fodders and blood plasma in southern transition zone of Karnataka
Indian J. Anim. Nutr., 17: 179-183.

Ranjhan, S K (1999) Feeding management strategies. *Indian Dairyman*, 51: 13-18.

Ranjhan, S.K. (1997). Problems and prospective of animal nutrition resource in India in twenty first century. Platinum jubilee celebration of animal nutrition research at IVRI. Publication and Information Section, IVRI, Izatnagar, India . pp- 21-36.

Ravindran V and Devendra C. (1988) Feed availability, requirements for animals and current patterns of utilisation in Sri Lanka. Non conventional feed resources and fibrous agricultural residues: strategies for expanded utilisation. Proceedings of a Consultation held in Hisar, India, 21-29 March, 1988. 171-180.

Roggero P P, Bellon S, Rosales M, Molenat G, Chenost M, Hubert D and Gouy J. (1995) Sustainable feeding systems based on the use of local resources. Satellite Symposiums of the IV th International Symposium on the Nutrition of Herbivores. Use of forage resources by ruminants in warm climate countries, Montpellier, France, 7-9 September 1995. *Annales de zootechnie*. 45: 105-118.

Sajjan Sihag, Yadav K.R., Khirwar, S.S. Rajesh and Heera Lal. (2002) Availability of feeds and feeding practices and socio-economic status of farmers in irrigated cotton based system. *Indian J. Anim. Nutr.*, 19 : 256-261.

Saran, Sandeep; Singh, R.A., Singh, Rajbir; Rani, Isabella and Singh, K.K., (2000). Feed resources for rearing livestock in the Bundelkhand region of Uttar Pradesh. *Ind. J. Ani. Sci.*, 70: 526-539.

Sen, K.C. and Ray, S.N. (1971) Nutritive values of Indian feeds and feeding of animals. 6th Ed. ICAR, New Delhi.

Shalander, Kumar; Agrawal, S. B., and Kumar, S. (1994) Resource use efficiency of milk production in Mathura district of Uttar Pradesh. *Indian J. Dairy Sci.*, 47: 915-920.

Sharma, V.P. and Singh, Raj Vir. (1993) Resource productivity and allocation efficiency in milk production in Himachal Pradesh. *Indian J. of Agric. Economics*: 48: 200-15.

Singh, A. K., Upadhyay, V. S., Misra, A. K. and Sigh, K. K. (1998) Ruminal dry matter, organic matter and nitrogen degradability of common tree leaves of Bundelkhand region. *Range Management and Agroforestry*. 19: 203-205.

Singh, A. K., Upadhyay, V. S., Misra, A. K. and Sigh, K. K. (1999) Seasonal variation in chemical composition of important tree leaves of Bundelkhand region. *Indian J. Anim. Nutr.*, 16: 269-271.

Singh, A.K., Vidyarthi, V. K., Verma, D.N. and Lal, S.N. (1998) Nutritional status of buffaloes in rural areas of Azamgarh district of Uttar Pradesh. *Indian J. Anim. Nutr.*, 15: 126-128.

Singh, J.P., Dwivedi, P.N. and Ekka, N.S. (2001). Application of remote sensing and GIS techniques in assessing forest cover and impact of forest grazing
Indian Cartographer. 21: 27-30

Singh, J.P., Dwivedi, P.N., Ekka ,N.S. and Tripathi, B. (2001) Inventory and mapping of grazing lands using IRS data and GIS for developmental planning of forage and livestock production. *Indian Cartographer*. 21 : 9-14.

Singh, U. N., Anoop Srivastva and Srivastva, A. (1995) Forage production and nutritive value of Bothriochloa grassland community in Bundelkhand region, India. *Range Management and Agroforestry*, 16: 25-37.

Skarpe, C. and Bergstrom, R. (1986) Nutrient content and digestibility of forage plants in relation to plant phenology and rain fall in the Kalahari, Botswana. *J. Arid Environ*, 11: 147-164.

Snedecor, G. W. and Cochran, W. G. (1967) Statistical Methods, 6th ed. Oxford and IBH Publishing Co., New Delhi, India.

Spicer, H. M. and Goonewardene, L. A. (1994) Alberta dairy farm survey response. *Journal of Dairy Science*, 77: 3460-72.

Thomas, C.K. and Shasty, N.S.R.(1991) Dairy Bobine Production. Kalyani Publishers. New Delhi. P: 572-573.

Tripathi, A.K. (1991) Availability of nutritional resources in the eastern region and their effective utilisation to benefit dairy farmers. *Indian Dairyman*, 43: 554-561.

Tripathi, R. S., Garg, J. S. and Singh, G. N. (1986) An economic analysis of dairy enterprise in Bundelkhand region of Uttar Pradesh. *Indian Journal of Dairy Science*. 39: 17-23.

Tyagi, R. K. (1997) Atlas of forage and legumes of Bundelkhand. IGFRI, Jhansi.

Udeybir, Mandal, A.B. and Yadav, P.S. (2000) Comparative dry matter intake and nutrient utilization efficiency in growing cattle and buffaloes -an analysis of observed results. *Indian J. Anim. Nutr.* 17 : 56-63.

Van Soet,P. J., Wine, R. H. and Moore, L. A. (1966). Estimation of the true digestibility of forage by the invtro digestion of cell wall. Proc. X Int. Grassland Congr. Helsinki, Finland. pp 438.

Yadav, P.S., Mandal, A.B. and Dahia, D.V. (2002). Feeding pattern and mineral status of buffaloes in Panipat district of Haryana State. *Anim. Nutr. and Feed Tech*, 2 : 127-138.